

**UNITED STATES DISTRICT COURT
DISTRICT OF DELAWARE**

| | | |
|---------------------------------|---|------------------|
| ASPEX EYEWEAR, INC. and CONTOUR | : | |
| OPTIK, INC., | : | Civil Action No. |
| | : | |
| Plaintiffs, | : | |
| | : | |
| v. | : | |
| | : | |
| SVS VISION HOLDING CO., | : | |
| | : | |
| Defendant. | x | |

COMPLAINT AND DEMAND FOR TRIAL BY JURY

Plaintiffs Aspex Eyewear, Inc. ("Aspex") and Contour Optik, Inc. ("Contour"), (collectively referred to as "Plaintiffs"), as and for their complaint herein against SVS Vision Holding Co. ("SVS"), allege the following:

JURISDICTION AND VENUE

1. This is a civil action for patent infringement arising under the patent laws of the United States, 35 U.S.C. §§ 271, 281, and 283.
2. This Court has jurisdiction over this action pursuant to 28 U.S.C. § 1338(a), as this action arises under an Act of Congress relating to patents.
3. Venue is proper pursuant to 28 U.S.C. §§ 1391(b) and (c) and/or § 1400, as, upon information and belief, SVS is incorporated in this district, does business in this district, is subject to personal jurisdiction in this district and/or has engaged in acts of infringement within the jurisdiction of this Court, including this Judicial district, which acts are the subject of this Complaint.
4. Aspex is a corporation duly organized and existing under the laws of the State of Delaware having its principal place of business at 2755 S.W. 32nd Avenue, Pembroke Park, Florida 33023.

5. Contour is a corporation of Taiwan, whose post office address is 6 Industrial Fifth Road, Tou Chiau Industrial Park, Chiayl 621, Taiwan.

6. Upon information and belief, SVS is a corporation organized and existing under the laws of Delaware, with its principal place of business at 140 Macomb Place, Mount Clemens, Michigan 48043.

7. On February 12, 2002, the United States Patent and Trademark Office issued United States Patent No. US RE37,545E ("the '545 Patent"), entitled "Auxiliary Lenses for Eyeglasses." A copy of the '545 Patent is attached as Exhibit A.

8. The '545 Patent is a reissue of United States Patent No. 5,568,207 ("the '207 Patent"), which issued on October 22, 1996, to inventor Richard Chao.

9. Contour and Aspex are the assignees of record of the '545 Patent, each owning a one-half undivided interest, and thereby establishing joint ownership by Contour and Aspex over the '545 Patent, and have the right to sue and recover damages for infringement thereof.

10. On November 28, 2007, the United States Patent and Trademark Office ordered the reexamination of the '545 Patent. During the pendency of such reexamination, SVS's conduct continues to irreparably harm the Plaintiffs and this Court has jurisdiction to remedy such infringement.

11. The invention described and claimed in the '545 Patent has been accepted by the eyewear and fashion eyewear industries and is of great utility and value.

12. SVS, well knowing of the '545 Patent, has infringed thereon by offering for sale magnetic eyewear incorporating the magnetic technology as claimed in the '545

Patent, including without limitation those styles sold under its "Nino Balli" brand, within this district and on information and belief, elsewhere as well.

13. These infringing articles, as alleged above, have not been manufactured or authorized in any manner by Aspex or Contour, nor has SVS ever been authorized or otherwise granted the right to manufacture, offer for sale, sell, or otherwise distribute devices made according to the '545 Patent.

14. SVS has notice of its infringement, as prescribed in 35 U.S.C. § 287.

15. SVS's infringement of the '545 Patent has been willful and deliberate, and with actual knowledge of the '545 patent.

16. Upon information and belief, SVS will continue to infringe upon the '545 Patent to the irreparable damage of Plaintiffs, unless enjoined by the Court.

17. Plaintiffs have no adequate remedy at law.

WHEREFORE, Plaintiffs request that this Court grant judgment in their favor, and award them the following relief:

A. Declare that SVS's acts and conduct infringe the '545 Patent and the exclusive rights in said patent held by the Plaintiffs;

B. Declare that such infringement is willful;

C. Pursuant to 35 U.S.C. § 283, enter a permanent injunction which:

i. enjoins SVS, its officers, agents, employees, privies, subsidiaries, successors, and assigns and all holding by, through or under them, and all those acting for them or in their behalf, from infringing upon the '545 Patent; and

ii. enjoins SVS, its directors, officers, agents, employees, representatives, and all other persons in active participation with them, to recall from all distributors, wholesalers, retailers, and all others known to SVS, all products that infringe upon the '545 Patent, and requires SVS to file with this Court and to serve upon the Plaintiffs, within thirty (30) days after service of the Court's Order as herein prayed, a report in writing under oath setting forth in detail the manner and form in which SVS has complied with the Court's order;

D. Require SVS to account to Plaintiffs for its profits and expenses lost through the infringing sales realized by SVS and any subsidiary of SVS;

E. Pursuant to 35 U.S.C. § 284, award the Plaintiffs damages adequate to compensate for the infringement, but in no event less than a reasonable royalty, together with interest and costs, taking account of Plaintiffs' actual damages and SVS's profits as a result of the infringement;

F. Pursuant to 35 U.S.C. § 284, order that any award of damages be trebled;

G. Pursuant to 35 U.S.C. § 285, find that this case is exceptional and award the Plaintiffs reasonable attorney fees as the prevailing party;

H. An award of Plaintiffs' costs; and

I. Grant such other and further relief as the equity of the case may require and as this Court may deem just and proper, together with costs and disbursements of this action, including attorney fees.

JURY DEMAND

Pursuant to Fed. R. Civ. P. 38(b), plaintiffs hereby demand a trial by a jury on all issues so triable.

Respectfully submitted,

Dated: December 10, 2007

By:

Arthur G. Connolly III
Arthur G. Connolly III (No. 2667)
Connolly Bove Lodge & Hutz LLP
1007 N. Orange Street
P.O. Box 2207
Wilmington, DE 19899
Tel: 302.658.9141
Fax: 302.658.5614
E-mail: AConnollyIII@cblh.com

*Attorneys for Plaintiffs Aspex Eyewear, Inc.
and Contour Optik, Inc.*

OF COUNSEL TO

Stephen F. Roth
Steven L. Procaccini
LERNER, DAVID, LITTENBERG,
KRUMHOLZ & MENTLIK, LLP
600 South Avenue West
Westfield, NJ 07090
Tel: 908.654.5000
Fax: 908.654.7866
E-mail: sroth@ldlkm.com
sprocaccini@ldlkm.com
litigation@ldlkm.com

EXHIBIT A



US00RE37545E

(19) **United States**
 (12) **Reissued Patent**
Chao

(10) **Patent Number:** **US RE37,545 E**
 (45) **Date of Reissued Patent:** **Feb. 12, 2002**

(54) **AUXILIARY LENSES FOR EYEGLASSES**

(75) **Inventor:** **Richard Chao, Chia Yi Hsien (TW)**

(73) **Assignees:** **Contour Optik, Inc., Chiayi (TW);**
Asahi Optical Co., Ltd.

(21) **Appl. No.:** **09/182,862**

(22) **Filed:** **Oct. 21, 1998**

Related U.S. Patent Documents

Reissue of:

(64) **Patent No.:** **5,568,207**
Issued: **Oct. 22, 1996**
Appl. No.: **08/554,854**
Filed: **Nov. 7, 1995**

(51) **Int. Cl.⁷** **G02C 7/08; G02C 9/00**

(52) **U.S. Cl.** **351/57; 351/47**

(58) **Field of Search** **351/47, 57, 41,**
351/44; 2/441, 443

(56) References Cited

U.S. PATENT DOCUMENTS

| | | | |
|-------------|---------|----------------|---------|
| 1,679,233 A | 7/1928 | Strauss | 351/47 |
| 2,737,847 A | 3/1956 | Tesaro | 351/41 |
| 2,770,168 A | 11/1956 | Tesaro | 351/41 |
| 3,498,701 A | 3/1970 | Miller | 351/57 |
| 3,531,188 A | 9/1970 | LeBlanc et al. | 351/48 |
| 3,531,190 A | 9/1970 | LeBlanc | 351/113 |
| 3,536,385 A | 10/1970 | Johnston | 351/47 |
| 3,565,517 A | 2/1971 | Gitlin et al. | 351/106 |
| 3,582,192 A | 6/1971 | Gitlin et al. | 351/52 |
| 3,838,914 A | 10/1974 | Fernandez | 351/106 |
| 4,070,103 A | 1/1978 | Meeker | 351/52 |
| 4,070,105 A | 1/1978 | Marzouk | 351/159 |
| 4,196,981 A | 4/1980 | Waldrop | 351/59 |
| 4,217,037 A | 8/1980 | Lemelson | 351/47 |
| 4,547,909 A | 10/1985 | Bell | 2/431 |
| 4,988,181 A | 1/1991 | Riach | 351/52 |

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

| | | |
|----|----------|--------|
| CH | 572222 | 1/1976 |
| CN | 76209045 | 9/1976 |

| | | |
|----|---------------|---------|
| CN | 107096 | 4/1985 |
| CN | 1117593 | 2/1996 |
| DE | 1797366 | 1/1971 |
| DE | G 85 07 761.5 | 6/1985 |
| DE | G 88 06 898.6 | 10/1988 |
| DE | 3905041 | 8/1990 |
| DE | 3919489 | 12/1990 |
| DE | 3920879 | 1/1991 |
| DE | 3921987 | 1/1991 |
| DE | 39333310 | 1/1991 |
| DE | 9216919 | 2/1993 |
| DE | 43 16 698 | 11/1994 |
| EP | 0469699 | 2/1992 |

(List continued on next page.)

OTHER PUBLICATIONS

English language abstract of Japanese Publication No. 55-50217.

English language abstract of Japanese Publication No. 54-111842.

English language abstract of Japanese Publication No. 54-111841.

English language abstract of Japanese Publication No. 1-136114.

(List continued on next page.)


Primary Examiner—Huy Mai

(74) *Attorney, Agent, or Firm*—Morgan & Finnegan, L.L.P.

(57) ABSTRACT

An eyeglass device includes a primary and an auxiliary spectacle frames for supporting lenses. The primary spectacle frame includes two legs pivotally coupled to two side extensions and includes two magnetic members secured in the rear and side portions. The auxiliary spectacle frame includes two legs engaged on the primary spectacle frame and each having a magnetic member for engaging with the magnetic members of the primary spectacle frame so as to secure the spectacle frames together and so as to prevent the auxiliary spectacle frame from moving downward relative to the primary spectacle frame.

34 Claims, 2 Drawing Sheets



US RE37,545 E

Page 2

U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|-----------------|---------|
| 5,181,051 A | 1/1993 | Townsend et al. | 351/52 |
| 5,243,366 A | 9/1993 | Blevins | 351/57 |
| 5,321,442 A | 6/1994 | Albanese | 351/44 |
| 5,389,981 A | 2/1995 | Riach | 351/158 |
| 5,410,763 A | 5/1995 | Bolle | 2/436 |
| 5,416,537 A * | 5/1995 | Sadler | 351/47 |
| 5,642,177 A | 6/1997 | Nishioka | 351/47 |
| 5,682,222 A | 10/1997 | Chao | 351/111 |
| 5,696,571 A | 12/1997 | Spencer et al. | 351/47 |
| 5,737,054 A | 4/1998 | Chao | 351/47 |
| 5,877,838 A | 3/1999 | Chao | 351/47 |
| 5,882,101 A | 3/1999 | Chao | 351/47 |
| 5,883,688 A | 3/1999 | Chao | 351/47 |
| 5,883,689 A | 3/1999 | Chao | 351/47 |
| 5,929,964 A | 7/1999 | Chao | 351/47 |
| 6,012,811 A | 6/2000 | Chao et al. | 351/47 |
| 6,092,896 A | 7/2000 | Chao et al. | 351/47 |
| 6,109,747 A | 8/2000 | Chao | 351/47 |
| 6,170,948 B1 | 1/2001 | Chao | 351/47 |

FOREIGN PATENT DOCUMENTS

| | | |
|----|-------------|---------|
| EP | 0743545 | 11/1996 |
| FR | 915421 | 11/1946 |
| FR | 1037755 | 9/1953 |
| FR | 1061253 | 4/1954 |
| FR | 2483632 | 4/1981 |
| FR | 1266652 | 12/1981 |
| FR | 2657436 | 7/1991 |
| GB | 846425 | 8/1960 |
| GB | 855268 | 11/1960 |
| JP | 44-15392 | 7/1969 |
| JP | 54-111841 | 9/1979 |
| JP | 54-111842 | 9/1979 |
| JP | 55-50217 | 4/1980 |
| JP | 56-29209 | 3/1981 |
| JP | 57-184910 | 11/1982 |
| JP | 612621 | 1/1986 |
| JP | 1-136114 | 5/1989 |
| JP | 2-109325 | 8/1990 |
| JP | 5-157997 | 6/1993 |
| JP | 5-40493 | 10/1993 |
| JP | 3011174 * | 5/1995 |
| JP | 7-128620 | 5/1995 |
| RU | 220885 | 6/1968 |
| TW | 274588 | 4/1996 |
| WO | WO 90/09611 | 8/1990 |
| WO | WO 96/23241 | 8/1996 |

OTHER PUBLICATIONS

English language abstract of Japanese Publication No. 56-29209.

English language abstract of Japanese Publication No. 44-15392.

English language abstract of Japanese Publication No. 5-157997.

English language abstract of Japanese Publication No. 612621.

English language abstract of Japanese Publication No. 5-40493.

English language abstract of German Publication No. 9216919.

English language abstract of German Publication No. 1797366.

English language abstract of German Publication No.43 16 698.

English language abstract of German Publication No.39333310.

English language abstract of German Publication No.3921987.

English language abstract of German Publication No.3920879.

English language abstract of German Publication No.3919489.

English language abstract of German Publication No.3905041.

English language abstract of French Publication No.1266652.

English language abstract of French Publication No.1037755.

English language abstract of French Publication No.2,657, 436.

English language abstract of French Publication No.2,483, 632.

English language abstract of French Publication No.915, 421.

English language abstract of Switzerland Publication No.572,222.

English language abstract of Russian Publication No.220885.

English language abstract of Taiwan Publication No.274588.

English language abstract of Chinese Publication No.1117593.

Documents describing Twincome in a Patent Opposition Proceeding in Germany initiated by Pentax, on or around Apr. 30, 1997.

* cited by examiner

U.S. Patent

Feb. 12, 2002

Sheet 1 of 2

US RE37,545 E




FIG. 1




FIG. 2




FIG. 3




FIG. 4

U.S. Patent

Feb. 12, 2002

Sheet 2 of 2

US RE37,545 E




FIG. 5




FIG. 6




FIG. 7

US RE37,545 E

1

AUXILIARY LENSES FOR EYEGLASSES

Matter enclosed in heavy brackets [] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue.

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to auxiliary lenses, and more particularly to auxiliary lenses for eyeglasses.

2. Description of the Prior Art

A typical spectacle frame having an attachable one-piece slide-on rim is disclosed in U.S. Pat. No. 4,070,103 to Meeker. In Meeker, a spectacle frame includes a magnetic material secured to the peripheral portion thereof for facilitating attachment of the auxiliary lens rim cover to the spectacle frame. The lens rim cover also includes a magnetic strip for engaging with the magnetic material of the spectacle frame.

Another typical eyeglasses are disclosed in U.S. Pat. No. 5,416,537 to Sadler and comprise first magnetic members secured to the temporal portions of the frames and second magnetic members secured to the corresponding temporal portions of the auxiliary lenses.

In both of the eyeglasses, the auxiliary lenses are simply attached to the frames by magnetic materials and have no supporting members for preventing the auxiliary lenses from moving downward relative to the frames such that the auxiliary lenses may easily move downward relative to the frames and may be easily disengaged from the frames when the users conduct jogging or jumping exercises. In addition, the magnetic materials are embedded in the frames of the primary lenses and of the auxiliary lenses such that the frames should be excavated with four or more cavities for engaging with the magnetic members and such that the strength of the frames is greatly decreased.

The present invention has arisen to mitigate and/or obviate the afore-described disadvantages of the conventional spectacle frames.

SUMMARY OF THE INVENTION

The primary objective of the present invention is to provide auxiliary lenses which may be stably secured and supported on the frames.

In accordance with one aspect of the invention, there is provided an eyeglass device comprising a primary spectacle frame for supporting primary lenses therein, the primary spectacle frame including two side portions each having an extension extended therefrom for pivotally coupling a leg means thereto, the primary spectacle frame including two rear and side portions each having a projection secured thereto, the primary spectacle frame including an upper portion, a pair of first magnetic members secured in the projections respectively, an auxiliary spectacle frame for supporting auxiliary lenses therein, the auxiliary spectacle frame including two side portions each having an arm extended therefrom for extending over and for engaging with the upper portion of the primary spectacle frame, and a pair of second magnetic members secured to the arms respectively for engaging with the first magnetic members of the primary spectacle frame so as to secure the auxiliary spectacle frame to the primary spectacle frame. The arms are engaged with and supported on the upper portion of the primary spectacle frame so as to allow the auxiliary spectacle frame to be stably supported on the primary spectacle frame and so as to prevent the auxiliary spectacle frame from moving downward relative to and so as to prevent the

2

auxiliary spectacle frame from being disengaged from the primary spectacle frame.

The projections and the first magnetic members are arranged lower than the upper portion of the primary spectacle frame, the second magnetic members are extended downward toward the projections for hooking on the primary spectacle frame so as to further secure the auxiliary spectacle frame to the primary spectacle frame. The auxiliary spectacle frame may be prevented from disengaging from the primary spectacle frame.

Further objectives and advantages of the present invention will become apparent from a careful reading of a detailed description provided hereinbelow, with appropriate reference to accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGS. 1 and 2 are front views of a spectacle frame and of auxiliary lenses in accordance with the present invention respectively;

FIGS. 3 and 4 are top views of the spectacle frame and of the auxiliary lenses respectively;

FIG. 5 is a front view of the spectacle frame and the auxiliary lenses combination;

FIG. 6 is a top view of the spectacle frame and the auxiliary lenses combination; and

FIG. 7 is a cross sectional view taken along lines 7—7 of FIG. 6,

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring to the drawings, and initially to FIGS. 1 to 4, an eyeglass device in accordance with the present invention comprises a primary spectacle frame 10 for supporting primary lenses therein. The primary spectacle frame 10 includes two side portions each having an extension 11 extended rearward therefrom for pivotally coupling leg 12 thereto. The primary spectacle frame 10 includes two projections 13 secured to the rear and side portions thereof for supporting magnetic members 14 therein. An auxiliary spectacle frame 20 is provided for supporting the auxiliary lenses therein and includes two side portions each having an arm 21 extended rearward therefrom for extending over and for engaging with the upper portion of the primary spectacle frame 10 (FIGS. 5 and 6). The auxiliary spectacle frame 20 also includes two magnetic members 22 secured to the arms 21 therefor for engaging with the magnetic members 14 of the primary spectacle frame 10 such that the auxiliary spectacle frame 20 may be stably supported on the primary spectacle frame 10, best shown in FIGS. 5 and 6.

It is to be noted that the arms 21 are engaged with and are supported on the upper portion of the primary spectacle frame 10 such that the auxiliary spectacle frame 20 may be stably supported and secured to the primary spectacle frame 10. The auxiliary spectacle frame 20 will not move downward relative to the primary spectacle frame and will not be easily disengaged from the primary spectacle frame when the users conduct jogging or jumping exercises.

It is further to be noted that the projections 13 and the magnetic members 14 are secured to the primary spectacle frame 10 and the magnetic members 22 are secured in the arms 21. The magnetic members 14, 22 are not embedded in the frames 10, 20 such that the frames 10, 20 are not required to be formed with cavities therein and such that the strength of the frames 10, 20 will not be decreased.

As shown in FIGS. 3—7, the engaging surfaces between magnetic members 14 in primary spectacle frame 10 and the magnetic members 22 in the auxiliary spectacle frame 20 lie in a plane that is substantially horizontal when the eyeglass device is worn.

US RE37,545 E

3

Referring next to FIG. 7, it is preferable that the projections 13 and the magnetic members 14 are located slightly lower than the upper portion of the primary spectacle frame 10; and the end portions of the arms 21 and/or the magnetic members 22 are slightly extended downward toward the projections 13 such that the arms 21 and the magnetic members 22 may hook on the primary spectacle frame 10 and such that the auxiliary spectacle frame 20 may further be stably supported and secured to the primary spectacle frame 10.

In one embodiment, as shown in FIG. 7, magnetic members 14 and 22 are not in contact with each other; magnetic members 14 and 22 are engaged with, but not supported on, each other. Instead, the arm 21 securing the magnetic member 22 is supported on an upper side portion of the primary spectacle frame 10. As shown in FIG. 7, the upper side portion can be an upper part of the side portion securing the projection 13.

Accordingly, the eyeglass device in accordance with the present invention includes an auxiliary spectacle frame that may be stably secured to the primary spectacle frame and will not move downward relative to the primary spectacle frame when the users conduct jogging or jumping exercises. In addition, the magnetic members are not embedded in the frames such that the strength of the frames will not be decreased.

Although this invention has been described with a certain degree of particularity, it is to be understood that the present disclosure has been made by way of example only and that numerous changes in the detailed construction and the combination and arrangement of parts may be resorted to without departing from the spirit and scope of the invention as hereinafter claimed.

I claim:

1. An eyeglass device comprising:

a primary spectacle frame for supporting primary lenses therein, said primary spectacle frame including two side portions each having an extension extended therefrom for pivotally coupling a leg means thereto, said primary spectacle frame including two rear and side portions each having a projection secured thereto, said primary spectacle frame including an upper side portion,

a pair of first magnetic members secured in said projections respectively,

an auxiliary spectacle frame for supporting auxiliary lenses therein, said auxiliary spectacle frame including two side portions each having an arm extended therefrom for extending over and for engaging with said upper side portion of said primary spectacle frame, and a pair of second magnetic members secured to said arms respectively for engaging with said first magnetic members of said primary spectacle frame so as to secure said auxiliary spectacle frame to said primary spectacle frame,

said arms being engaged with and supported on said upper side portion of said primary spectacle frame so as to allow said auxiliary spectacle frame to be stably supported on said primary spectacle frame and so as to prevent said auxiliary spectacle frame from moving downward relative to said primary spectacle frame and so as to prevent said auxiliary spectacle frame from being disengaged from said primary spectacle frame.

2. An eyeglass device according to claim 1, wherein said projections and said first magnetic members are arranged lower than said upper side portion of said primary spectacle frame, said second magnetic members are extended down-

4

ward toward said projections for hooking on said primary spectacle frame so as to further secure said auxiliary spectacle frame to said primary spectacle frame.

3. An eyeglass device as recited in claim 1 wherein the first and the second magnetic members are magnets.

4. An eyeglass device comprising:

a primary spectacle frame for supporting primary lenses therein with the lenses defining a vertical plane, the primary spectacle frame including two side portion extensions extended therefrom for pivotally coupling a leg thereto and a first magnet having a horizontal surface and secured to said side portion extensions of the primary spectacle frame, and

an auxiliary spectacle frame for supporting auxiliary lenses therein, and for disposing in front of the primary spectacle frame, the auxiliary spectacle frame including two auxiliary side portions, the auxiliary spectacle frame including two second magnets, each secured to one of the auxiliary side portions for respectively engaging the horizontal surface of one of the first magnets so as to secure the auxiliary spectacle frame to the primary spectacle frame.

5. An eyeglass device as recited in claim 4 wherein at least an end portion of one auxiliary side portion extends downward toward one of the side portions of the primary spectacle frame for hooking on the primary spectacle frame such that the auxiliary spectacle frame is further stably supported and secured to the primary spectacle frame.

6. An eyeglass device comprising:

a primary spectacle frame for supporting primary lenses therein;

the primary spectacle frame including two side portion extensions extended therefrom for pivotally coupling a leg thereto; and

the primary spectacle frame including two first magnetic members respectively having a horizontal surface and being secured to one of the side portions extensions of the primary spectacle frame; and

an auxiliary spectacle frame for supporting auxiliary lenses therein, and for disposing in front of the primary spectacle frame, the auxiliary spectacle frame including two auxiliary side portions, wherein the auxiliary spectacle frame further includes two second magnetic members each secured to one of the auxiliary side portions and having a horizontal surface for coupling a corresponding horizontal surface of one of the first magnetic members so as to secure the auxiliary spectacle frame to the primary spectacle frame.

7. An eyeglass device as recited in claim 6 wherein the second magnetic members are magnets.

8. An eyeglass device as recited in claim 6 wherein the first magnetic members are magnets.

9. An eyeglass device as recited in claim 6 wherein the first and the second magnetic members are magnets.

10. An eyeglass device as recited in claim 9 wherein the auxiliary side portions are respectively supported on a corresponding extension and the first magnetic members are not in contact with the second magnetic members.

11. An eyeglass device as recited in claim 6 wherein the auxiliary side portions are respectively supported on a corresponding extension and the first magnetic members are not in contact with the second magnetic members.

12. An eyeglass device comprising:

a primary spectacle frame having two side portion extensions, each of said extensions having a front side, a rear side and a first magnetic member secured to said rear side,

US RE37,545 E

5

an auxiliary spectacle frame including two side portions each having an arm extended therefrom for extending toward and beyond said rear side, each of said arms containing a second magnetic member, and said arms and said first and second magnetic members cooperating to stably support said auxiliary spectacle frame on said primary spectacle frame.

13. The eyeglass device according to claim 12, wherein said first and second magnetic members are magnets.

14. An eyeglass device comprising:

a primary spectacle frame for supporting primary lenses therein, said primary spectacle frame including two side portion extensions extended therefrom for pivotally coupling a leg, each of said extensions also including an outer side, an inner side, and a top side with a projection secured to said inner side, each of said projections respectively securing a first magnetic member, and

an auxiliary spectacle frame for supporting auxiliary lenses therein, said auxiliary spectacle frame including two side portions each having an arm extended therefrom, said auxiliary spectacle frame further including a pair of second magnetic members secured to said arms respectively for engaging said first magnetic members of said primary spectacle, each of said arms adapted to extend over one of said top sides.

15. The eyeglass device according to claim 14, wherein said first and second magnetic members are magnets.

16. An eyeglass device comprising:

a primary spectacle frame having two side portion extensions, each of said extensions having a front side and a rear side with a first magnetic member secured to said rear side, and

an auxiliary spectacle frame including two side portions, each of said side portions having an arm extended therefrom for extending beyond said rear side, said arms containing corresponding second magnetic members, said arms and said first and second magnetic members supporting said auxiliary spectacle frame on said primary spectacle frame.

17. An eyeglass device comprising:

a primary spectacle frame having two side portion extensions, each of said extensions extending laterally away from one another and rearwardly of said frame, each of said extensions having a top side, a front side and a rear side with a first magnetic member secured to said rear side, and

an auxiliary spectacle frame including two side portions each having an arm extending from said front side over said top side, said arms containing corresponding second magnetic members, said arms and said first and second magnetic members supporting said auxiliary spectacle frame on said primary spectacle frame.

18. An eyeglass device comprising:

a primary spectacle frame having two side portion extensions extending rearwardly therefrom having a top side and a rear side with a first magnetic member secured thereto, and

an auxiliary spectacle frame including two arms for extending over a corresponding top side of said extensions, said arms respectively containing second magnetic members for cooperation with said first magnetic members and downwardly extended end portions for hooking said auxiliary spectacle frame to said primary spectacle frame, said arms and said first and second magnetic members supporting said auxiliary spectacle frame on said primary spectacle frame.

6

19. An eyeglass device comprising:

a primary spectacle frame for supporting primary lenses therein having two side portion extensions, said side portion extensions each having a top side and a projection attached to a rear side thereof, each of said projections securing a first magnetic member, and

an auxiliary spectacle frame including two arms for extending over and engaging a corresponding top side of said side portion extensions, said arms respectively containing second magnetic members and downwardly extended end portions, at least said arms and said first and second magnetic members supporting said auxiliary spectacle frame on said primary spectacle frame.

20. An eyeglass device comprising:

a primary spectacle frame for supporting primary lenses therein having two side portion extensions having a top side and a rear side with a first magnetic member secured to said rear side, and

an auxiliary spectacle frame including two arms for extending over and engaging a corresponding top side of said extensions, said arms respectively containing downwardly extended second magnetic members for hooking said auxiliary spectacle frame to said primary spectacle frame, said arms and said first and second magnetic members cooperating to support said auxiliary spectacle frame on said primary spectacle frame.

21. An eyeglass device comprising:

a primary spectacle frame for supporting primary lenses therein having an extension at each side for pivotal coupling to a leg, each of said extensions having a front side, a rear side, a top side and a projection attached to said rear side, each of said projections securing first magnetic members, and

an auxiliary spectacle frame for supporting auxiliary lenses therein and including two side portions, each of said side portions having an arm extended therefrom and adapted to extend from said front side to beyond said rear side of said extension of said primary spectacle frame, said arms each containing corresponding second magnetic members, said arms locating each of said second magnetic members in an engagement position to engage respective first magnetic members of said primary spectacle frame and inhibit relative vertical movement therebetween.

22. An eyeglass device comprising:

a primary spectacle frame for supporting primary lenses therein and having two side portion extensions extending rearwardly therefrom and having a front side, a rear side, a top side, and a rear end, each of said rear ends pivotally coupling a leg configured to conform to a user at a distal end thereof, each of said extensions of said primary spectacle frame further having a projection attached to each of said rear sides, and a pair of first magnetic members respectively secured in said projections, said first magnetic members capable of engaging second magnetic members of an auxiliary spectacle frame so that lenses of an auxiliary spectacle frame are located in front of said primary lenses.

23. An eyeglass device comprising:

an auxiliary spectacle frame for supporting auxiliary lenses therein, said frame including a front side, a rear side, and oppositely positioned side portions, each of said side portions having an arm extended therefrom, each of said arms having a rearwardly directed free end for securing a magnetic member, and a pair of magnetic members respectively secured in the free ends of

US RE37,545 E

7

said arms, said arms and said pair of magnetic members adapted to extend across respective side portions of a primary spectacle frame so that said pair of magnetic members can vertically engage corresponding magnetic members on a primary spectacle frame.

24. An eyeglass device comprising:

an auxiliary spectacle frame for supporting auxiliary lenses therein, said frame including a front side, a rear side, and oppositely positioned side portions, each of said side portions having an arm extended therefrom, each of said arms having a rearwardly directed end for securing a magnetic member, a pair of magnetic members respectively located at said ends of said arms, each of said ends further including a downwardly extended end portion for hooking onto a primary spectacle, said arms and said pair of magnetic members adapted to extend across respective side portions of a primary spectacle frame so that said pair of magnetic members can engage corresponding magnetic members on a primary spectacle frame.

25. An eyeglass device comprising:

a primary spectacle frame having two side portion extensions extending therefrom and adapted to pivotally couple a leg thereto, said extensions each having a front side, a rear side, a top side and a projection extending from said rear side, each of said projections securing a first magnetic member, and

an auxiliary spectacle frame including two side portions each having an arm extended therefrom for extending over said top side, said arms containing corresponding second magnetic members, said arms with said second magnetic members engaging said first magnetic members thereby securing said auxiliary frame to said primary spectacle frame to prevent said auxiliary spectacle frame from moving downward relative to and/or disengaging from said primary spectacle frame.

26. An eyeglass device, comprising:

a primary spectacle frame for supporting primary lenses therein;

a pair of extensions mounted to said primary spectacle frame at laterally spaced locations and each projecting toward a wearer when the eyeglass device is worn;

a first pair of magnetic members, each affixed to a respective one of a pair of projections attached to a rear side of said extensions so as to be concealed by said extensions when said eyeglass is worn, said first pair of magnetic members each having a first surface;

an auxiliary spectacle frame for supporting auxiliary lenses therein;

a pair of spaced apart arms mounted to said auxiliary spectacle frame and projecting toward the wearer when the eyeglass device is worn; and

a second pair of magnetic members, each affixed to said pair of arms, said second pair of magnetic members each having a second surface, said auxiliary spectacle frame capable of being supported by said primary spectacle frame by mounting said second pair of magnetic members to said first pair of magnetic members, said first and second surfaces being oppositely directed so that said surfaces are juxtaposed.

27. An eyeglass device according to claim 26 wherein said auxiliary frame includes an abutment surface for engagement with an oppositely directed surface on said primary frame to inhibit relative movement therebetween.

28. An eyeglass device according to claim 27 wherein said abutment surface is provided on each of said arms on said auxiliary frame.

8

29. An eyeglass device according to claim 27 wherein said extensions are located adjacent respective ones of said arms.

30. An eyeglass device according to claim 29 wherein said auxiliary frame includes an abutment surface for engagement with an oppositely directed surface on said primary frame to inhibit relative movement therebetween.

31. An eyeglass device comprising:

a primary spectacle frame having two side portion extensions extending rearwardly therefrom with a top side and a rear side with a first magnetic member secured thereto, and

an auxiliary spectacle frame including two arms for extending over a corresponding top side of said extensions, said arms respectively containing second magnetic members for cooperation with said first magnetic members and downwardly extended end portions for hooking said auxiliary spectacle frame to said primary spectacle frame, said arms and said first and second magnetic members supporting said auxiliary spectacle frame on said primary spectacle frame, wherein at least one of said first magnetic members and said second magnetic members are magnets.

32. An eyeglass device comprising:

a primary spectacle frame having two side portion extensions, each of said extensions having a front side, a rear side and a first magnetic member secured to said rear side,

an auxiliary spectacle frame including two side portions each having an arm extended therefrom and traversing said extension from said front side to said rear side, each of said arms containing a second magnetic member, and

said first and second magnetic members engaging one another to support said auxiliary spectacle frame on said primary spectacle frame.

33. An eyeglass device comprising:

a primary spectacle frame having two side portion extensions, each of said extensions having a front side, a rear side and a first magnetic member secured to said rear side,

an auxiliary spectacle frame including two side portions each having an arm extended therefrom, each of said arms containing a second magnetic member, said arms extending across said extension from said front side to said rear side, and

said arms and said first and second magnetic members stably support said auxiliary spectacle frame on said primary spectacle frame.

34. An eyeglass device comprising:

a primary spectacle frame having two side portion extensions with a front side, a rear side and a first magnetic member

an auxiliary spectacle frame including two side portions each having an arm extended therefrom, each of said arms containing a second magnetic member, said arms extending across a respective extension from said front side to said rear side so that said first and second magnetic members engage one another whereby said auxiliary spectacle frame is supported by said primary spectacle frame.

* * * * *

The JS-44 civil cover sheet and the information contained herein neither replace nor supplement the filing and service of pleadings or other papers as required by law, except as provided by the Rules of Court. This form, approved by the Judicial Conference of the United States in September 1974, is required for the use of the Clerk of Court for the purpose of initiating the Civil Docket Sheet. (SEE INSTRUCTIONS ON THE REVERSE OF THE FORM.)

I. (a) PLAINTIFFS

**Aspex Eyewear, Inc.
Contour Optik, Inc.**

(b) COUNTY OF RESIDENCE OF FIRST LISTED PLAINTIFF _____
EXCEPT IN U.S. PLAINTIFF CASES)

(c) ATTORNEYS FIRM NAME, ADDRESS AND PHONE NO.

**Connolly Bove Lodge & Hutz LLP, 1007 N. Orange Street, PO Box
2207, Wilmington, DE 19899, Arthur G. Connolly, III, Esq.
(302) 658-9141**

DEFENDANTS

SVS Vision Holding Co.

COUNTY OF RESIDENCE OF FIRST LISTED DEFENDANT _____
(IN U.S. PLAINTIFF CASES ONLY)

NOTE: IN LAND CONDEMNATION CASES, USE THE LOCATION OF THE
TRACT OF LAND INVOLVED

ATTORNEYS (IF KNOWN)

II. BASIS OF JURISDICTION

(PLACE AN "X" IN ONE BOX ONLY)

- ☐1 U. S. Government Plaintiff ☒3 Federal Question (U. S. Government Not A Party)
- ☐2 U. S. Government Defendant ☐ Diversity (Indicate Citizenship of Parties in Item III)

III. CITIZENSHIP OF PRINCIPAL PARTIES

(PLACE AN "X" IN ONE BOX FOR PLAINTIFF AND ONE BOX FOR DEFENDANT)

| | PTF | DEF | | PTF | DEF |
|---|----------------------------|----------------------------|---|---------------------------------------|---------------------------------------|
| Citizen of This State | <input type="checkbox"/> 1 | <input type="checkbox"/> 1 | Incorporated or Principal Place of Business in This State | <input checked="" type="checkbox"/> 4 | <input checked="" type="checkbox"/> 4 |
| Citizen of Another State | <input type="checkbox"/> 2 | <input type="checkbox"/> 2 | Incorporated and Principal Place of Business in Another State | <input type="checkbox"/> 5 | <input type="checkbox"/> 5 |
| Citizen or Subject of a Foreign Country | <input type="checkbox"/> 3 | <input type="checkbox"/> 3 | Foreign Nation | <input type="checkbox"/> 6 | <input type="checkbox"/> 6 |

IV. ORIGIN

(PLACE AN "X" IN ONE BOX ONLY)

- ☒1 Original Proceeding ☐2 Removed from State Court ☐3 Remanded from Appellate Court ☐4 Reinstated or Reopened ☐5 Transferred from Another District (specify) ☐6 Multidistrict Litigation ☐7 Appeal to District Judge from Magistrate Judgment

V. NATURE OF SUIT (PLACE AN "X" IN ONE BOX ONLY)

| CONTRACT | TORTS | PERSONAL INJURY | FORFEITURE/PENALTY | BANKRUPTCY | OTHER STATUTES |
|--|--|--|--|---|--|
| <input type="checkbox"/> 110 Insurance <input type="checkbox"/> 120 Marine <input type="checkbox"/> 130 Miller Act <input type="checkbox"/> 140 Negotiable Instrument <input type="checkbox"/> 150 Recovery of Overpayment & Enforcement of Judgment <input type="checkbox"/> 151 Medicare Act <input type="checkbox"/> 152 Recovery of Defaulted Student Loans (Excl. Veterans) <input type="checkbox"/> 153 Recovery of Overpayment of Veteran's Benefits <input type="checkbox"/> 160 Stockholders' Suits <input type="checkbox"/> 190 Other Contract <input type="checkbox"/> 195 Contract Product Liability | PERSONAL INJURY <input type="checkbox"/> 310 Airplane <input type="checkbox"/> 315 Airplane Product Liability <input type="checkbox"/> 320 Assault, Libel & Slander <input type="checkbox"/> 330 Federal Employers' Liability <input type="checkbox"/> 340 Marine <input type="checkbox"/> 345 Marine Product Liability <input type="checkbox"/> 350 Motor Vehicle <input type="checkbox"/> 355 Motor Vehicle Product Liability <input type="checkbox"/> 360 Other Personal Injury | <input type="checkbox"/> 362 Personal Injury - Med. Malpractice <input type="checkbox"/> 365 Personal Injury - Product Liability <input type="checkbox"/> 366 Asbestos Personal Injury Product Liability | <input type="checkbox"/> 610 Agriculture <input type="checkbox"/> 620 Other Food & Drug <input type="checkbox"/> 625 Drug Related Seizure of Property 21 USC 881 <input type="checkbox"/> 630 Liquor Laws <input type="checkbox"/> 640 R.R. & Truck <input type="checkbox"/> 650 Airline Regs. <input type="checkbox"/> 660 Occupational Safety/Health <input type="checkbox"/> 690 Other | <input type="checkbox"/> 422 Appeal <input type="checkbox"/> 443 Withdrawal 28 USC 157 | <input type="checkbox"/> 400 State Reapportionment <input type="checkbox"/> 410 Antitrust <input type="checkbox"/> 430 Banks and Banking <input type="checkbox"/> 450 Commerce/ICC Rates/etc. <input type="checkbox"/> 460 Deportation <input type="checkbox"/> 470 Racketeer Influenced and Corrupt Organizations <input type="checkbox"/> 810 Selective Service <input type="checkbox"/> 850 Securities/commodities/Exchange <input type="checkbox"/> 875 Customer Challenge 12 USC 3410 <input type="checkbox"/> 891 Agricultural Acts <input type="checkbox"/> 892 Economic Stabilization Act <input type="checkbox"/> 893 Environmental Matters <input type="checkbox"/> 894 Energy Allocation Act <input type="checkbox"/> 895 Freedom of Information Act <input type="checkbox"/> 900 Appeal of Fee Determination Under Equal Access to Justice <input type="checkbox"/> 950 Constitutionality of State Statutes <input type="checkbox"/> 990 Other Statutory Actions |
| REAL PROPERTY <input type="checkbox"/> 210 Land Condemnation <input type="checkbox"/> 220 Foreclosure <input type="checkbox"/> 230 Rent Lease & Ejectment <input type="checkbox"/> 240 Torts to Land <input type="checkbox"/> 245 Tort Product Liability <input type="checkbox"/> 290 All Other Real Property | CIVIL RIGHTS <input type="checkbox"/> 441 Voting <input type="checkbox"/> 442 Employment <input type="checkbox"/> 443 Housing/Accommodations <input type="checkbox"/> 444 Welfare <input type="checkbox"/> 440 Other Civil Rights | PERSONAL PROPERTY <input type="checkbox"/> 370 Other Fraud <input type="checkbox"/> 371 Truth in Lending <input type="checkbox"/> 380 Other Personal Property Damage <input type="checkbox"/> 385 Property Damage Product Liability | LABOR <input type="checkbox"/> 710 Fair Labor Standards Act <input type="checkbox"/> 720 Labor/Mgmt. Relations <input type="checkbox"/> 730 Labor/Mgmt. Reporting & Disclosure Act <input type="checkbox"/> 740 Railway Labor Act <input type="checkbox"/> 790 Other Labor Litigation <input type="checkbox"/> 791 Empl. Ret. Inc. Security Act | PROPERTY RIGHTS <input type="checkbox"/> 820 Copyrights <input checked="" type="checkbox"/> 830 Patent (405(g)) <input type="checkbox"/> 840 Trademark | |
| | | PRISONER PETITIONS <input type="checkbox"/> 510 Motions to Vacate Sentence <input type="checkbox"/> Habeas Corpus: <input type="checkbox"/> 530 General <input type="checkbox"/> 535 Death Penalty <input type="checkbox"/> 540 Mandamus & Other <input type="checkbox"/> 550 Other | <input type="checkbox"/> 861 HIA (1395ff) <input type="checkbox"/> 862 Black Lung (923) <input type="checkbox"/> 863 DIWC/DIWW (405(g)) <input type="checkbox"/> 864 SSID Title XVI <input type="checkbox"/> 865 RSI (405(g)) | SOCIAL SECURITY <input type="checkbox"/> 861 HIA (1395ff) <input type="checkbox"/> 862 Black Lung (923) <input type="checkbox"/> 863 DIWC/DIWW (405(g)) <input type="checkbox"/> 864 SSID Title XVI <input type="checkbox"/> 865 RSI (405(g)) | |
| | | | | FEDERAL TAX SUITS <input type="checkbox"/> 870 Taxes (U.S. Plaintiff or Defendant) <input type="checkbox"/> 871 IRS - Third Party 26 USC 7609 | |

VI. CAUSE OF ACTION

(CITE THE U.S. CIVIL STATUTE UNDER WHICH YOU ARE FILING AND WRITE A BRIEF STATEMENT OF CAUSE.
DO NOT CITE JURISDICTIONAL STATUTES UNLESS DIVERSITY) 35 U.S.C. §§ 271, 281, and 283

VII. REQUESTED IN COMPLAINT:

DEMAND \$ Damages and Injunctive relief

CHECK YES only if demanded in complaint:

CHECK IF THIS IS A CLASS ACTION

JURY DEMAND: ☒ YES ☐ NO

☐ UNDER F.R.C.P. 23

VIII. RELATED CASE(S) IF ANY

DATE December 10, 2007

SIGNATURE OF ATTORNEY OF RECORD

Arthur G. Connolly III

(#2667)

FOR OFFICE USE ONLY

RECEIPT # _____ AMOUNT _____ APPLYING IFP _____ JUDGE _____ MAG. JUDGE _____

Authority for Civil Cover Sheet

The JS-44 civil cover sheet and the information contained herein neither replaces nor supplements the filings and service of pleading or other papers as required by law, except as provided by local rules of court. This form, approved by the Judicial Conference of the United States in September 1974, is required for the use of the Clerk of Court for the purpose of initiating the civil docket sheet. Consequently a civil cover sheet is submitted to the clerk of Court for each civil complaint filed. The attorney filing a case should complete the form as follows:

I. (a) Plaintiffs-Defendants. Enter names (last, first middle initial) of plaintiff and defendant. If the plaintiff or defendant is a government agency, use only the full name or standard abbreviations. If the plaintiff or defendant is an official within a government agency identify first the agency and then the official, giving both name and title.

(b) County of Residence. For each civil case filed, except U.S. plaintiff cases, enter the name of the county where the first listed plaintiff resides at the time of filing. In U.S. plaintiff cases, enter the name of the county in which the first listed defendant resides at the time of filing. (NOTE: In land condemnation cases, the county of residence of the "defendant" is the location of the tract of land involved.)

(c) Attorneys. Enter the firm name, address, telephone number, and attorney of record. If there are several attorneys, list them on an attachment, noting in this section "(see attachment)".

II. Jurisdiction. The basis of jurisdiction is set forth under Rule 8(a), F.R.C.P., which requires that jurisdiction be shown in pleadings. Place an "X" in one of the boxes. If there is more than one basis of jurisdiction, precedence is given in the order shown below.

United States plaintiff. (1) Jurisdiction based on 28 U.S.C. 1345 and 1348. Suits by agencies and officers of the United States are included here

United States defendant. (2) When the plaintiff is suing the United States, its officers or agencies, place an "X" in this box.

Federal question. (3) This refers to suits under 28 U.S.C. 1331, where jurisdiction arises under the Constitution of the United States, an amendment to the Constitution, an act of Congress or a treaty of the United States. In cases where the U.S. is a party, the U.S. plaintiff or defendant code takes precedence, and box 1 or 2 should be marked.

Diversity of citizenship. (4) This refers to suits under 28 U.S.C. 1332, where parties are citizens of different states. When Box 4 is checked, the citizenship of the different parties must be checked. (See Section III below; federal question actions take precedence over diversity cases.)

III. Residence (citizenship) of Principal Parties. This section of the JS-44 is to be completed if diversity of citizenship was indicated above. Mark this section for each principal party.

IV. Cause of Action. Report the civil statute directly related to the cause of action and give a brief description of the cause.

V. Nature of Suit. Place an "X" in the appropriate box. If the nature of suit cannot be determined, be sure the cause of action, in Section IV above, is sufficient to enable the deputy clerk or the statistical clerks in the Administrative Office to determine the nature of suit. If the cause fits more than one nature of suit, select the most definitive.

VI. Origin. Place an "X" in one of the seven boxes.

Original Proceedings. (1) Cases which originate in the United States district courts.

Removed from State Court. (2) Proceedings initiated in state courts may be removed to the district courts under Title 28 U.S.C., Section 1441. When the petition for removal is granted, check this box.

Remanded from Appellate Court. (3) Check this box for cases remanded to the district court for further action. Use the date of remand as the filing date.

Reinstated or Reopened. (4) Check this box for cases reinstated or reopened in the district court. Use the reopening date as the filing date.

Transferred from Another District. (5) For cases transferred under Title 28 U.S.C. Section 1404(a). Do not use this for within district transfers of multidistrict litigation transfers.

Multidistrict Litigation. (6) Check this box when a multidistrict case is transferred into the district under authority of Title 28 U.S.C. Section 1407. When this box is checked, do not check (5) above.

Appeal to District Judge from Magistrate Judgment. (7) Check this box for an appeal from a magistrate judge's decision.

VII. Requested in Complaint. Class Action. Place an "X" in this box if you are filing a class action under Rule 23, F.R.Cv.P.

Demand. In this space enter the dollar amount (in thousands of dollars) being demanded or indicate other demand such as a preliminary injunction.

Jury Demand. Check the appropriate box to indicate whether or not a jury is being demanded.

VIII. Related Cases. This section of the JS-44 is used to reference related pending cases if any. If there are related pending cases, insert the docket numbers and the corresponding judge names for such cases.

Date and Attorney Signature. Date and sign the civil cover sheet.

AO FORM 85 RECEIPT (REV. 9/04)

United States District Court for the District of Delaware

Civil Action No. 07 - 803

ACKNOWLEDGMENT
OF RECEIPT FOR AO FORM 85

NOTICE OF AVAILABILITY OF A
UNITED STATES MAGISTRATE JUDGE
TO EXERCISE JURISDICTION

2007 DEC 10 PM 3:55

U.S. DISTRICT COURT
DISTRICT OF DELAWARE

(Handwritten signature/initials)

I HEREBY ACKNOWLEDGE RECEIPT OF 3 COPIES OF AO FORM 85.

12/10/07
(Date forms issued)

CRASH STEVENSON.
(Signature of Party or their Representative)

Crash Stevenson
(Printed name of Party or their Representative)

Note: Completed receipt will be filed in the Civil Action